

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	((decod\$3) AND ((instruction operation command) NEAR3 (packet datagram pdu)) AND (memory buffer) AND (processor) AND (channel pipeline) AND (branch ((program application) NEAR2 (flow)) address) AND (data NEAR2 process\$4) AND (identifier bit)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 13:34
S1	2	"813628".ap.	US-PGPUB	OR	ON	2008/10/08 09:46
S2	25	("20020010852" "20020063577" "20020174266" "20050044434" "5423051" "5600810" "5737631" "5956518" "5922065" "6061367" "6725357" "6880150").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 09:48
S3	12	("20020010852" "20020063577" "20020174266" "20050044434" "5423051" "5600810" "5737631" "5956518" "5922065" "6061367" "6725357" "6880150").PN.	US-PGPUB; USPAT	OR	ON	2008/10/08 09:48
S4	3261	(processor CPU) SAME (decod\$3) SAME (channel pipeline) SAME (control instruction) SAME (plurality two)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 09:55
S5	1	S4 AND S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 09:56

S6	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2008/10/08 11:45
S7	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2009/06/11 14:16
S8	12	("20020010852" "20020063577" "20020174266" "20050044434" "5423051" "5600810" "5737631" "5956518" "5922065" "6061367" "6725357" "6880150").PN.	US-PGPUB; USPAT	OR	ON	2009/06/11 14:16
S9	3455	(processor CPU) SAME (decod\$3) SAME (channel pipeline) SAME (control instruction) SAME (plurality two)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:16
S10	1	S9 AND S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 14:16
S11	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2009/11/24 14:56
S12	45894	(instruction command) NEAR3 (packet group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:12
S13	394908	(process\$3 control) NEAR3 (channel path)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:12
S14	335352	(data memory) NEAR3 (channel path)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:13

S15	245175	(control branch address\$3 (program NEAR flow)) NEAR3 (instrucion command)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:14
S16	485888	(data logical operation arithmetic) NEAR3 (instruction command)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:14
S17	658770	decod\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:15
S18	3	S12 SAME S13 SAME S14 SAME S15 SAME S16 SAME S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:15
S19	24	("5115496" "5241644" "5560028" "5617549" "5974537" "6304953").PN. OR ("6725357").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 13:19
S20	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2009/12/01 13:19
S21	28	S12 SAME S13 SAME S14 SAME S15 SAME S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:23
S22	309	two ADJ process\$3 ADJ channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:44

S23	9	S22 AND (control NEAR3 instruction)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:45
S24	11	("5051885" "5355460" "5761470" "5870619" "5878241" "5966528" "6076154" "6230180" "6292845" "6317820" "6697774").PN. OR ("7234042").JRPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 13:49
S25	50	("3735363" "3831151" "3839705" "3990052" "4042972" "4167779" "4236206" "4315321" "4398243" "4434459" "4437149" "4549262" "4613935" "4715013" "4739470" "4742451" "4760520" "4780811" "4789957" "4794518" "4876642" "4954947" "4964035" "4967349" "5021991" "5099421" "5121488" "5129068" "5150469" "5197130" "5227987" "5237700" "5239633" "5241635" "5249266" "5269008" "5293591" "5297071" "5299321" "5301285" "5303355" "5357617" "5361338" "5404557" "5475822" "5490265" "5497496" "5509129" "5539888" "5542060").pn.	US-PGPUB; USPAT	OR	ON	2009/12/01 14:02
S26	50	("5692168" "5706491" "5732243" "5732253" "5740416" "5835967" "5835951" "6044460" "4477872" "5680597" "5911083" "4251859" "4282584" "4310840" "4763245" "4982402" "5202967" "5390305" "5430851" "5481693" "5495587" "5495590" "5502826" "5542059" "5627982" "5729727" "5734881" "5805918" "5872978" "5884057" "5923862" "5933850" "5941984" "5987620" "5996071" "6076155" "4399505" "4434462" "4574349" "4773002" "4777587" "5185869" "5210831" "5243705" "5317702" "5394558" "5408625" "5421020" "5467476" "5488729").pn.	US-PGPUB; USPAT	OR	ON	2009/12/01 14:02

S27	24	("4114026" "4236206" "4280177" "4502111" "4530050" "4654781" "4888679" "5051885" "5201056" "5371864" "5488710" "5537629" "5898851" "5938759" "5987235" "6012137" "6134650" "6170050").PN. OR ("6292845").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 14:26
S28	6509	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:22
S29	1189	((first one) NEAR2 (channel pipeline) NEAR5 (memory load store access)) SAME ((two second) NEAR2 (channel pipeline) NEAR5 (memory load store access))	US-PGPUB	OR	ON	2009/12/03 10:13
S31	6522	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:14
S32	15	S29 AND S31	US-PGPUB	OR	ON	2009/12/03 10:14
S33	7161	(single NEAR instruction NEAR multiple NEAR data) SIMD	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 15:09
S34	788	S33 SAME pipeline	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 15:10

S35	61	S34 SAME fixed	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 15:10
S36	4653	((opcode instruction command operation) NEAR2 (packet frame datagram)) WITH (type class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 11:09
S37	79	S36 SAME ((first) NEAR2 (type class)) SAME ((second) NEAR2 (type class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 11:10
S38	14	("20020010852" "20020063577" "20020174266" "20030154358" "20030154358" "20030154358" "20040215593" "20050044434" "5423051" "5600810" "5737631" "5922065" "5956518" "5600810" "6061367" "6725357" "6880150").PN.	US-PGPUB; USPAT	OR	ON	2010/06/21 13:46
S39	4	("20030154358" "5600810").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 13:47
S40	282	(identify\$4 classify\$3) WITH ((opcode instruction command operation) NEAR2 (packet frame datagram)) WITH (type class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 14:50

S41	48	(identify\$4 classify\$3) WITH ((opcode instruction command operation) NEAR2 (packet frame datagram)) WITH (type class) WITH (bit byte flag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 14:50
S42	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2010/06/21 14:53
S43	3145	(712/205,206,208,214,214,220,245).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/06/21 14:57
S44	6882	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/21 14:58
S45	3	S40 AND S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 14:58
S46	124821	(instruction command opcode operation) NEAR2 (packet frame group datagram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:12
S47	15207	(two plurality multiple many) NEAR2 (control) NEAR2 (operation instruction command opcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:13

S48	1055837	(data read\$3 writ\$3 stor\$3) NEAR2 (instruction operation command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:13
S49	58	S46 SAME S47 SAME S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:14
S50	6887	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/22 13:14
S51	11	S49 AND S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:14
S52	47	S49 NOT S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:33
S53	132	S46 SAME (frame packet datagram instruction command opcode operation) NEAR3 (type class) NEAR3 (bit byte indicator indication flag) NEAR3 (location area space field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:36

S54	19	S53 AND S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:38
S55	43	S53 SAME ((command packet instruction operation frame datagram op\$code group) NEAR3 (decod\$3 encod\$3 divid\$3 split\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 13:41
S56	3147	(712/205,206,208,214,214,220,245).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/06/22 14:45
S57	8	S49 AND S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/22 14:45
S58	1942	(decod\$3 decrypt\$3) NEAR2 (packet frame group) NEAR2 (instruction command op\$code operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 09:50
S59	210	S58 WITH (flag bit byte type class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 09:52

S60	6887	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/23 09:53
S61	3147	(712/205,206,208,214,214,220,245).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/06/23 09:53
S62	30	S59 AND (S60 S61)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 09:53
S63	50	("3735363" "3831151" "3839705" "3990052" "4042972" "4167779" "4236206" "4315321" "4398243" "4434459" "4437149" "4549262" "4613935" "4715013" "4739470" "4742451" "4760520" "4780811" "4789957" "4794518" "4876642" "4954947" "4964035" "4967349" "5021991" "5099421" "5121488" "5129068" "5150469" "5197130" "5227987" "5237700" "5239633" "5241635" "5249266" "5269008" "5293591" "5297071" "5299321" "5301285" "5303355" "5357617" "5361338" "5404557" "5475822" "5490265" "5497496" "5509129" "5539888" "5542060").pn.	US-PGPUB; USPAT	OR	ON	2010/06/23 10:11

S64	49	("4554627" "4851995" "5280593" "5473774" "5692168" "5706491" "5732243" "5732253" "5740416" "5835967" "5835951" "4386399" "4398243" "4532590" "4594655" "4860199" "6044460" "6170051" "4352157" "4376977" "4493033" "4616313" "4847755" "5203002" "5241635" "5274818" "5386531" "5426634" "5457780" "5600844" "5627988" "5680597" "5740365" "5745758" RE35794 "5806068" "5832289" "5867712" "5911083" "5983004" "6067609" "6173388" "6185667" "6212628" "6212628" "6233590" "4251862" "4251859" "4282584" "4287561").pn.	US-PGPUB; USPAT	OR	ON	2010/06/23 10:11
S65	1	S59 AND (S63 S64)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:12
S66	10	S58 AND (S63 S64)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:45
S67	0	S58 WITH ((flag bit byte) NEAR2 (type class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:48

S68	5	S58 SAME((flag bit byte) NEAR2 (type class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:48
S69	5	S58 SAME ((flag bit byte) NEAR2 (type class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:48
S70	13	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2010/06/23 10:49
S71	24	("4114026" "4236206" "4280177" "4502111" "4530050" "4654781" "4888679" "5051885" "5201056" "5371864" "5488710" "5537629" "5898851" "5938759" "5987235" "6012137" "6134650" "6170050").PN. OR ("6292845").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/23 12:32
S72	11	("5051885" "5355460" "5761470" "5870619" "5878241" "5966528" "6076154" "6230180" "6292845" "6317820" "6697774").PN. OR ("7234042").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/10 14:58
S73	14	("20020010852" "20020063577" "20020174266" "20030154358" "20030154358" "20030154358" "20040215593" "20050044434" "5423051" "5600810" "5737631" "5922065" "5956518" "5600810" "6061367" "6725357" "6880150"). PN.	US-PGPUB; USPAT	OR	ON	2010/12/10 15:10
S74	4	("2005/0044434").URPN.	USPAT	OR	ON	2010/12/10 15:42

S75	70	(separat\$4) WITH ((branch\$4 address\$4) WITH (data NEAR3 (process\$4))) WITH (decod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 10:27
S76	12	("20020010852" "20020063577" "20020174266" "20050044434" "5423051" "5600810" "5737631" "5956518" "5922065" "6061367" "6725357" "6880150").PN.	US-PGPUB; USPAT	OR	ON	2010/12/13 10:28
S77	7241	(712/1-4,7,9,10,11,13,16,22,24,208,210,214-215,220,221,223,225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/13 10:28
S78	3363	(712/205,206,208,214,214,220,245).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/12/13 10:28
S79	3	(S78 S77) AND S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 10:28
S80	3	(S78 S77) AND S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 10:28

S81	15	S75 SAME (processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 10:40
S82	65	(branch NEAR3 (pipeline unit)) SAME (data NEAR2 (process\$4) NEAR3 (pipeline unit)) SAME (decod\$3 NEAR3 (instruction operation command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/13 10:58
S83	14	((SIMON) near2 (KNOWLES)).INV.	US-PGPUB; USPAT	OR	ON	2010/12/13 11:58

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	((decod\$3) AND ((instruction operation command) NEAR3 (packet datagram pdu)) AND (memory buffer) AND (processor) AND (channel pipeline) AND (branch ((program application) NEAR2 (flow)) address) AND (data NEAR2 process\$4) AND (identifier bit)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/12/13 13:34
L3	15	((decod\$3) AND ((instruction operation command) NEAR3 (packet datagram pdu)) AND (memory buffer) AND (processor) AND (channel pipeline) AND (branch ((program application) NEAR2 (flow)) address) AND (data NEAR2 process\$4)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/12/13 13:39

L4	16	((decod\$3) AND ((instruction operation command) NEAR3 (packet datagram pdu)) AND (processor) AND (channel pipeline) AND (branch ((program application) NEAR2 (flow)) address) AND (data NEAR2 process\$4)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/12/13 14:30
L5	1	4 NOT 3	US-PGPUB; USPAT; UPAD	OR	ON	2010/12/13 14:31
L6	66	((((instruction operation command) NEAR3 (packet datagram pdu)) AND (processor) AND (channel pipeline) AND (branch ((program application) NEAR2 (flow)) address) AND (data NEAR2 process\$4)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/12/13 14:31

12/13/2010 2:35:21 PM

C:\Documents and Settings\rfranklin\My Documents\EAST\Workspaces\10813628.wsp